




Saab

Replacement Parts Catalogue



**SIMPLY
PARTS**

Quality Components for Global Markets



A division of the Atlas Automotive Group

Our ref	OE ref	Other ref	Description	Remarks
SAA-10001	03 22 577		Adjusting Bolt	Length: 105,5 mm, 97 mm, Outer Thread : M 16 x 2 mm
SAA-10002	43 19 117		Air Conditioner Evaporator	
SAA-10003	50 47 931		Air Conditioner Evaporator	
SAA-10004	96 24 925		Air Conditioner Evaporator	
SAA-10005	94 80 955		Air Conditioner Evaporator	Length : 270 mm Width : 232 mm Thickness : 87 mm
SAA-10006	9629403		Air Conditioning Condenser	Length : 540 mm Width : 400 mm Thickness : 25 mm
SAA-10007	12 793 295		Air Conditioning Condenser	Length : 625 mm Width : 415 mm Thickness : 16 mm
SAA-10008	45 41 215		Air Conditioning Condenser	Length : 600 mm Width : 358 mm Thickness : 20 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10009	47 55 492		Air Conditioning Condenser	Length : 475 mm Width : 406 mm Thickness : 25 mm
SAA-10010	47 58 637		Air Conditioning Condenser	Length : 505 mm Width : 350 mm Thickness : 16 mm
SAA-10011	6 845 622		Air Conditioning Evaporator	Left Length : 280 mm Width : 245 mm Thickness : 60 mm
SAA-10012	16 03 206		Axial Rod	Length : 360 mm Outer Thread : M 14 x 1,5 mm, with right-hand thread
SAA-10013	42 42 673		Axial rod	Front axle, left W/o tie rod end For vehicles w. and w/o power steering Length 434 mm Thread size M 16x2,0 mm M 16x2,0 mm Left hand thread For tie rod end refer to: 0324 053 For complete tie rod refer to: 0322 079
SAA-10014	42 42 681		Axial Rod	Front axle, right W/o tie rod end Vehicles w. and w/o power steering Length 434 mm Thread size M 16x2,0 mm M 16x2,0 mm Right hand thread Tie rod end : 0324 054 Complete tie rod assy: 0322 080
SAA-10015	89 43 268		Axial Rod	Front axle, left and right Vehicles w. and w/o power steering Length 272 mm Thread size M 14x2,0 mm M 14x2,0 mm Right hand thread For tie rod end refer to: 89 24 177
SAA-10016	89 62 250		Axial Rod	Front axle, left and right Vehicles w/o power steering Length 310 mm Thread size M 14x1,5 mm M 14x1,5 mm Right hand thread Tie rod end : 89 57 839

Our ref	OE ref	Other ref	Description	Remarks
SAA-10017	93 175 520		Axial Rod	Front axle, left and right Thread size M 14x1,5 mm Tie rod ends refer to: 1603 228 1603 227
SAA-10018	272 483		Axle boot kit	Inner and outer Length 116 mm 90 mm Inner 1 24 mm 24 mm Inner 2 70 mm 90 mm
SAA-10019	48 35 740		Ball Joint	Front axle, left and right Lower Cone size 18,0 mm Length 77 mm
SAA-10020	52 37 516		Ball Joint	Front axle, left and right
SAA-10021	89 85 384		Ball Joint	Front axle, left and right Lower Thread size 1/2"-20 UNF
SAA-10022	4029930		Belt Tensioner	
SAA-10023	573786		Belt Tensioner	Outer Ø : Height:
SAA-10024	13 40 530		Belt Tensioner	Outer Ø : 90 mm Height : 25 mm, with hole

Our ref	OE ref	Other ref	Description	Remarks
SAA-10025	13 40 555		Belt Tensioner	Outer Ø : 76 mm, Width : 22 mm
SAA-10026	63 40 538		Belt Tensioner	Width : 27,5 mm, Outer Ø : 76 mm
SAA-10027	928 351 947 00		Bolt Brake caliper	For kit refer to: 4439 14 6 186 923 000 420 00 76
SAA-10028	44 26 003		Bracket	Engine mounting
SAA-10029	89 62 656		Bracket	Left Front Stabilizer
SAA-10030	89 62 664		Bracket	Right Front Stabilizer
SAA-10031	9 191 175		Bracket	Front axle, left and right , Rear Control arm Incl. mounting parts Incl. bushing For bushing only refer to: 0352 998 For control arm only refer to: 0352 051 0352 052
18K-5010L	4838967	342456	Brake Caliper	Front Left Sys ATE Ø 57 mm Min Qty 300 pcs - sold in pairs only

Our ref	OE ref	Other ref	Description	Remarks
18K-5010R	4838975	342457	Brake Caliper	Front Right Sys ATE Ø 57 mm Min Qty 300 pcs - sold in pairs only
18K-5012L	4838983	342458	Brake Caliper	Rear Left Sys ATE Ø 35 mm Min Qty 300 pcs - sold in pairs only
18K-5012R	4838991	342459	Brake Caliper	Rear Right Sys ATE Ø 35 mm Min Qty 300 pcs - sold in pairs only
18K-5014L	5055413	343228	Brake Caliper	Front Left Ø 57 mm Min Qty 300 pcs - sold in pairs only
18K-5014R	5055421	343229	Brake Caliper	Front Right Ø 57 mm Min Qty 300 pcs - sold in pairs only
18K-5013L	5058136	343210	Brake Caliper	Rear Left Sys ATE Ø 38 mm Min Qty 300 pcs - sold in pairs only
18K-5013R	5058144	343211	Brake Caliper	Rear Right Sys ATE Ø 38 mm Min Qty 300 pcs - sold in pairs only
18K-5001L	7871676	34116	Brake Caliper	Front Left Sys ATE Ø 48 mm Min Qty 300 pcs - sold in pairs only

Our ref	OE ref	Other ref	Description	Remarks
18K-5001R	7871684	34117	Brake Caliper	Front Right Sys ATE Ø 48 mm Min Qty 300 pcs - sold in pairs only
18K-5002L	7871718	34118	Brake Caliper	Rear Left Sys ATE Ø 27 mm Min Qty 300 pcs - sold in pairs only
18K-5002R	7871726	34119	Brake Caliper	Rear Right Sys ATE Ø 27 mm Min Qty 300 pcs - sold in pairs only
18K-5003L	7873649	34176	Brake Caliper	Front Left Sys Loc Ø 51 mm Min Qty 300 pcs - sold in pairs only
18K-5003R	7873656	34177	Brake Caliper	Front Right Sys Loc Ø 51 mm Min Qty 300 pcs - sold in pairs only
18K-5006L	7894983	341344	Brake Caliper	Front Left Sys Gir Ø 54 mm Min Qty 300 pcs - sold in pairs only
18K-5006R	7894991	341345	Brake Caliper	Front Right Sys Gir Ø 54 mm Min Qty 300 pcs - sold in pairs only
18K-5009L	7895006	341784	Brake Caliper	Front Right Sys ATE Ø 33 mm Min Qty 300 pcs - sold in pairs only

Our ref	OE ref	Other ref	Description	Remarks
18K-5009R	7895014	341785	Brake Caliper	Rear Right Sys ATE Ø 33 mm Min Qty 300 pcs - sold in pairs only
18K-5007L	7895022	341780	Brake Caliper	Front Left Sys Gir Ø 54 mm Min Qty 300 pcs - sold in pairs only
18K-5007R	7895030	341781	Brake Caliper	Front Right Sys Gir Ø 54 mm Min Qty 300 pcs - sold in pairs only
18K-5004L	7895113	34446	Brake Caliper	Rear Left Sys ATE Ø 30 mm Min Qty 300 pcs - sold in pairs only
18K-5004R	7895121	34447	Brake Caliper	Rear Right Sys ATE Ø 30 mm Min Qty 300 pcs - sold in pairs only
18K-5008L	7895303	341782	Brake Caliper	Front Left Sys ATE Ø 54 mm Min Qty 300 pcs - sold in pairs only
18K-5008R	7895311	341783	Brake Caliper	Front Right Sys ATE Ø 54 mm Min Qty 300 pcs - sold in pairs only
18K-5011L	8828931	342134	Brake Caliper	Front Left Sys ATE Ø 54 mm Min Qty 300 pcs - sold in pairs only

Our ref	OE ref	Other ref	Description	Remarks
18K-5011R	8828949	342135	Brake Caliper	Front Right Sys Gir Ø 54 mm Min Qty 300 pcs - sold in pairs only
18K-5005L	8930935	34522	Brake Caliper	Front Left Sys Gir Ø 54 mm Min Qty 300 pcs - sold in pairs only
18K-5005R	8930943	34523	Brake Caliper	Front Right Sys Gir Ø 54 mm Min Qty 300 pcs - sold in pairs only
SAA-10032	0569 003		Brake Disc	Front Ventilated Holes 5 Outer Ø 285 mm Thickness 25 mm Min Thickness 22 mm Center Ø 70 mm
SAA-10033	0569 004		Brake Disc	Front Ventilated Holes 5 Outer Ø 302 mm Thickness 28 mm Min Thickness 25 mm Centre Ø 70 mm
SAA-10034	0569 056		Brake Disc	Front Ventilated Holes 5 Outer Ø 288 mm Thickness 25 mm Min Thickness 23 mm Center 70 mm
SAA-10035	0569 114		Brake Disc	Rear Ventilated Holes 5 Outer Ø 292 mm Thickness 20 mm Min Thickness 18 mm Centre Ø 65,5 mm
SAA-10036	0569 115		Brake Disc	Rear Holes 5 Outer Ø 278 mm Thickness 12 mm Min Thickness 10 mm Centre Ø 65,5 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10037	42 41 428		Brake Disc	Front Ventilated Holes 5 Outer Ø 284 mm Thickness 24 mm Min Thickness 21 mm Center Ø 70 mm
SAA-10038	45 65 693		Brake Disc	Rear Holes 5 Outer Ø 286 mm Thickness 10 mm Min Thickness 8 mm Centre Ø 65,5 mm
SAA-10039	89 70 717		Brake Disc	Rear Holes 4 Outer Ø 258 mm Thickness 9 mm Min Thickness 7,5 mm Centre Ø 68 mm
SAA-10040	9 194 477		Brake Disc	Front Ventilated Holes 5 Outer Ø 308 mm Thickness 25 mm Min Thickness 23 mm Center Ø 70 mm
SAA-10041	05 62 094		Brake Hose	Length : 200 mm
SAA-10042	42 41 444		Brake Hose	Front axle Length 350 mm Inner thread M 10x1,0 mm
SAA-10043	89 40 819		Brake Hose	Front axle Length 320 mm Outer thread 2x M 10x1,0 mm
SAA-10044	91 01 650		Brake Hose	Rear axle Length 167 mm Outer thread: M 10x1,0 mm Inner thread: M 10x1,0 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10045	4543930		Brake Master Cylinder	
SAA-10046	8964892		Brake Master Cylinder	
SAA-10047	9100652		Brake Master Cylinder	
SAA-10048	9102575		Brake Master Cylinder	
SAA-10049	88965681		Brake Pads	Front Width: 178.3 mm Thickness: 17.8 mm
SAA-10050	1 360 254		Brake Pads	Rear Sys ATE Width: 123 mm Height: 51.88 mm Thickness: 16.4 mm
SAA-10051	16 05 032		Brake Pads	Front Sys ATE Width: 155.15 mm Height: 74 mm Thickness: 19.6mm
SAA-10052	16 05 036		Brake Pads	Front Sys ATE Width: 156.28 mm Height: 74.2 mm Thickness: 20.3 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10053	1605 079		Brake Pads	Front Sys ATE Width 1 : 155.1 mm Width 2 : 156.4 mm Height 1 : 74.5 mm Height 2 : 77.6 mm Thickness : 20.6 mm
SAA-10054	1605 113		Brake Pads	Front Sys ATE Width 1 : 155,1 mm Width 2 : 156,3 mm Height 1 : 69.6 mm Height 2 : 70.7 mm Thickness : 20,1 mm
SAA-10055	180419-700		Brake Pads	Front Sys Gir Width: 94.9 mm Height: 51 mm Thickness: 17.5 mm
SAA-10056	180744-700		Brake Pads	Front Sys Gir Width: 94.9 mm Height: 53.1 mm Thickness: 17.7 mm
SAA-10057	1L2Z-2001-AA		Brake Pads	Front Axle Width: 154 mm Height: 53 mm Thickness: 17 mm
SAA-10058	40 04 123		Brake Pads	Front Sys Gir Width: 78.35 mm Height: 64.3 mm Thickness: 14.2 mm
SAA-10059	41 96 317		Brake Pads	Rear Sys ATE Width : 125 mm Height : 37.6 mm Thickness : 15 mm
SAA-10060	44 67 072		Brake Pads	Rear Sys ATE Width : 61.7 mm Height : 57.5 mm Thickness : 15.8 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10061	44 83 723		Brake Pads	Front Sys ATE Width : 155.1 mm Height : 60.7 mm Thickness : 18.3 mm
SAA-10062	48 36 987		Brake Pads	Rear Sys ATE Width: 61.7 mm Height: 61 mm Thickness: 15.2 mm
SAA-10063	48 39 700		Brake Pads	Front Sys ATE Width : 156.3 mm Height : 54.9 mm Thickness : 19.5 mm
SAA-10064	48 39 924		Brake Pads	Front Sys ATE Width : 156.3 mm Height : 74 mm Thickness : 20.3 mm
SAA-10065	78 68 284		Brake Pads	Front Sys Loc Width: 96 mm Height: 55 mm Thickness: 10.5/18.296 mm
SAA-10066	8683 615		Brake Pads	Rear Sys ATE Width : 123 mm Height : 51.9 mm Thickness : 15.8 mm
SAA-10067	89 31 727		Brake Pads	Rear Sys Gir Width: 59 mm Height: 46 mm Thickness: 12.5 mm
SAA-10068	89 61 856		Brake Pads	Rear Sys ATE Width: 55.7 mm Height: 53 mm Thickness: 14 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10069	89 67 077		Brake Pads	Front Sys Gir Width: 94.9 mm Height: 53.1 mm Thickness: 17.7 mm
SAA-10070	9 201 354		Brake Pads	Rear Sys ATE Width : 61.7 mm Height : 61.2 mm Thickness : 15.8 mm
SAA-10071		34 21 6 761 239	Brake Pads	Rear Width: 123 mm Height: 44.9 mm Thickness: 17.3 mm
SAA-10072		0060 712 608	Brake Pads	Rear Sys ATE Width: 55.7 mm Height: 53 mm Thickness: 15 mm
SAA-10073		34 11 1 154 443	Brake Pads	Front Sys Gir Width: 94.9 mm Height: 51 mm Thickness: 17.5 mm
SAA-10074		5W93-2200-AA	Brake Pads	Rear Sys ATE Width: 122.94 mm Height: 51.77 mm Thickness: 16.4 mm
SAA-10075	18 08 619		Cabin Filter, Air	Length: 331 mm Width: 160 mm Height: 32 mm
SAA-10076	40 72 393		Cabin Filter, Air	Length: 282 mm Width: 244 mm Height: 27 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10077	46 32 493		Cabin Filter, Air	Length: 441 mm Width: 126 mm Height: 30 mm
SAA-10078	91 79 904		Cabin Filter, Air	Length: 331 m Width: 163 mm Height: 30 mm
SAA-10079	4490199		Cable, Clutch	Length:812mm L1/L2:812mm/479mm
SAA-10080	13 04 666		Cap, Expansion Tank	
SAA-10081	43 95 570		Cap, Expansion Tank	
SAA-10082	56 50 831		Cap, Oil Filler	
SAA-10083	56 36 386		Chain Adjuster	
SAA-10084	56 36 387		Chain Adjuster	

Our ref	OE ref	Other ref	Description	Remarks
SAA-10085		75 85 086	Chain Adjuster	
SAA-10086	4384079		Clutch Master Cylinder	
SAA-10087	4385001		Clutch Master Cylinder	Ø 15,9 mm
SAA-10088	8944977		Clutch Master Cylinder	
SAA-10089	06 79 323		Clutch Master Cylinder	Ø 15,87 mm
SAA-10090	56 79 304		Clutch Slave Cylinder	31mm
SAA-10091	56 79 333		Clutch Slave Cylinder	31mm
SAA-10092	1 237 013 052		Contact Point Set	

Our ref	OE ref	Other ref	Description	Remarks
SAA-10093	12 796 013		Control Arm	Front axle, left, Lower Incl. bushing Aluminium Bushing only : 0352 998
SAA-10094	12 796 014		Control Arm	Front axle, right, Lower Incl. bushing Aluminium Bushing only : 0352 998
SAA-10095	42 48 431		Control Arm	Front axle, left, Front, Lower Incl. bushing Aluminium To ch no. S2012271 S7014772
SAA-10096	42 48 449		Control Arm	Front axle, right, Lower Incl. bushing Aluminium To ch no. S2012271 S7014772
SAA-10097	45 43 450		Control Arm	Front axle, left Incl. bushing Aluminium Bushing only : 814 454 0001 From ch no. F S2012272 F S7014773
SAA-10098	45 43 468		Control Arm	Front axle, right Incl. bushing Aluminium Bushing only : 814 454 0001 From ch no. S2012272 S7014773
SAA-10099	0352 998		Control Arm Bushing	Front axle, left and right Control arm : 0352 051 0352 052
SAA-10100	44 82 402		Control Arm Bushing	Front axle, left and right Rear Inner Ø : 16,1 mm Outer Ø : 50,5 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10101	89 61 476		Control Arm Bushing	Front axle, left and right Front Length : 136 mm Outer Ø : 29 mm, 34 mm
SAA-10102	89 65 253		Control Arm Bushing	Front axle,Rear Inner Ø : 19 mm Outer Ø : 65 mm Heavy duty version
SAA-10103	8971095		Cross Spider	Rear Axle Ø 1/2 : 30/68 mm Height : 65 mm Number of Holes : 4
16L-20001	374118	301144 / 302253	CV Joint Inner	Outer teeth 34 Inner teeth 25 Oil seal Ø 35 Bowl Ø 100.9 OE 374195 / 9317340
16L-20002		302254	CV Joint Inner	Outer teeth 34 Inner teeth 25 Oil seal Ø 35 Bowl Ø 94.4
SAA-10104	40 00 642		CV Joint Kit Outer Incl. ABS sensor ring	No. of teeth 46 External teeth, wheel side 26 Internal teeth, wheel side 25 Outer 90 mm Seal 56 mm
16K-10144	4000659	301062 / 302167	CV Joint Outer	Outer teeth 25 Inner teeth 25 Oil seal Ø 56 Bowl Ø 89 ABS teeth 46
16K-10170	4002911	302162	CV Joint Outer	Outer teeth 26 Inner teeth 25 Oil seal Ø 56 Bowl Ø 90 ABS teeth 94 OE 8963571 / 8983571

Our ref	OE ref	Other ref	Description	Remarks
16K-10169	4103263	302201	CV Joint Outer	Outer teeth 26 Inner teeth 25 Oil seal Ø 56 Bowl Ø 98 ABS teeth 46
16K-10269	4242236	302459	CV Joint Outer	Outer teeth 33 Inner teeth 25 Oil seal Ø 52 Bowl Ø 90 ABS teeth 29 OE 4399325
16K-10487	5232897		CV Joint Outer	Outer teeth 33 Inner teeth 27 Oil seal Ø 59 Bowl Ø 98 ABS teeth 29
16K-10168	8952905	301056 / 302165	CV Joint Outer	Outer teeth 26 Inner teeth 25 Oil seal Ø 56 Bowl Ø 90
16K-10062	9102880	302164	CV Joint Outer	Outer teeth 25 Inner teeth 25 Oil seal Ø 56.5 Bowl Ø 90
16K-20001			CV Joint Outer	Outer teeth 26 Inner teeth 25 Oil seal Ø 56 Bowl Ø 90 ABS teeth 46
SAA-10105	06 07 923		Cylinder Head Bolt	Length : 248 mm, Outer Thread : M 12 x 1,5 mm Quality Grade : 10.9, Outer-torx, Length : 235 mm
SAA-10106	243797		Distributor Cap	

Our ref	OE ref	Other ref	Description	Remarks
SAA-10107	12 11 1 271 656		Distributor Cap	
SAA-10108	12 11 1 363 423		Distributor Cap	
SAA-10109	052 905 225 C		Distributor Rotor	
SAA-10110	12 11 1 360 305		Distributor Rotor	
SAA-10111	12 12 217		Distributor Rotor	
16M-10002	5057682	302951	Driveshaft	Length 487 ABS teeth 29
16M-10001	191407271H	301715	Driveshaft	Length 594 ABS teeth 29 OE 191407271HX / 191407271T
SAA-10112	43 56 176		Engine mount	Front, left Rubber/metal

Our ref	OE ref	Other ref	Description	Remarks
SAA-10113	43 56 184		Engine mount	Lower, left
SAA-10114	56 84 166		Engine Mount	Rear
SAA-10115	75 45 650		Engine mount	Rear, left and right Hydraulic
SAA-10116	75 45 668		Engine mount	Front, left and right Hydraulic
SAA-10117	75 51 104		Engine mount	Rear, left and right Hydraulic
SAA-10118	75 76 333		Engine mount	Rear, right Rubber/metal Thickness/Strength : 53 mm, 63 mm Outer Ø : 60 mm
SAA-10119	87 86 006		Engine mount	Rear, left and right Hydraulic
SAA-10120	9390907		Filter, Air	Outer Ø : 118 mm Inner Ø : 69 mm Height : 290,5 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10121	12786800		Filter, Air	Length : 297.5 mm Width : 234.5 mm Height : 51 mm
SAA-10122	025 129 620 A		Filter, Air	Height : 102 mm Outer : 182 mm Inner : 100 mm
SAA-10123	2506 2227		Filter, Air	Height : 41 mm Length : 285 mm Width : 184 mm
SAA-10124	5173 166		Filter, Air	Height: 140 mm Outer Ø : 177 mm Inner Ø : 95 mm
SAA-10125	0834 296		Filter, Air element	Length : 285 mm Width : 184 mm Height : 42 mm
SAA-10126	42 36 030		Filter, Air element	Length: 282 mm Width: 159 mm Height: 58 mm
SAA-10127	48 76 074		Filter, Air element	Length 307,5 mm Width 149 mm Height 58 mm
SAA-10128	48 76 199		Filter, Air element	Length 303 mm Width 173 mm Height 46 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10129	75 14 722		Filter, Air element	Height 234 mm Outer 148 mm Inner 90 mm
SAA-10130	93 81 971		Filter, Air element	Length : 294 mm Width : 168 mm Height : 58 mm
SAA-10131	08 18 531		Filter, Fuel	Outer Ø : 71 mm Inner Ø : 20 mm Height : 92 mm
SAA-10132	08 18 568		Filter, Fuel	Height : 163 mm Outer Ø : 60 mm Inner Ø : 8 mm
SAA-10133	1389 562		Filter, Fuel	Outer Ø : 80.5 mm Outer Ø 1 : 89 mm Thread Measurement 1 : M 14 X 1.5 Thread Size :M 12 X 1.5 Height : 152mm
SAA-10134	6 688 744		Filter, Fuel	Ø : 81 mm Height : 152 mm Thread Size : M 12 x 1,5 Port Thread : M 14 x 1,5
SAA-10135	477556		Filter, Oil	Height : 260 mm Outer Ø : 108 mm Thread Size : 1 3/8-16 UN
SAA-10136	4429726		Filter, Oil	Height : 205 mm Outer Ø : 118 mm Thread Size : 1 1/2-12

Our ref	OE ref	Other ref	Description	Remarks
SAA-10137	9144445		Filter, Oil	Height : 79 mm Outer Ø : 76 mm Thread Size : 3/4-16 UNF
SAA-10138	35178573		Filter, Oil	Height : 85 mm Outer Ø : 93 mm Thread Size : 3/4-16 UNF
SAA-10139	93175493		Filter, Oil	Outer Ø : 61 mm Inner Ø : 35 mm,9.8 mm Height : 89 mm
SAA-10140	11 42 9 061 197		Filter, Oil	Height : 93 mm Outer Ø : 76 mm Thread Size : 3/4-16 UNF
SAA-10141	1R-0716		Filter, Oil	Height : 302 mm Outer Ø : 136 mm Thread Size : 1 1/2-16 UN
SAA-10142	5 012 720		Filter, Oil	Height : 90 mm Outer Ø : 62 mm Inner Ø : 28 mm
SAA-10143	56 50 305		Filter, Oil	Height : 79 mm Outer Ø : 76 mm Port Thread : M18x1,5
SAA-10144	56 50 319		Filter, Oil	Filter Insert, Height : 115,2 mm, Outer Ø 1 : 67,5 mm, Inner Ø 1 : 32 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10145	56 50 343		Filter, Oil	Height : 84,3 mm Outer Ø 1 : 78,5 mm Thread Size : M18X1,5
SAA-10146	600-211-1231		Filter, Oil	Height : 248 mm Outer Ø : 118 mm Thread Size : 1 1/2-12 UNF
SAA-10147	674-201-4120		Filter, Oil	Height : 289.5 mm Outer Ø : 118.5 mm Thread Size : 2 1/4 12 UN 2B
SAA-10148	77 00 734 945		Filter, Oil	Height : 50 mm Outer Ø : 76 mm Thread Size : M 20 X 1.5
SAA-10149	LPW 100 230		Filter, Oil	Height : 93mm Outer Ø : 76mm Thread Size : 13/16-UNS
SAA-10150	241 721		Fuel Pressure Control Valve	Engine: B20E
SAA-10151	08 08 203		Fuel Tank Cap	
SAA-10152	0 444 761		Gasket, Cylinder Head	Left Engine: V4 Piston Ø 90 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10153	06 08 632		Gasket, Cylinder Head	Engine: B258I V Piston Ø
SAA-10154	47 73 453		Gasket, Cylinder Head	Engine : B308E B308I X 30 XE / ECOTEC Piston Ø . :
SAA-10155	56 07 422		Gasket, Cylinder Head	Engine: SAAB - D223L
SAA-10156	56 07 423		Gasket, Cylinder Head	Engine: D223L X 22 Piston Ø
SAA-10157	56 07 447		Gasket, Cylinder Head	Engine: Z18XE Piston Ø
SAA-10158	56 07 474		Gasket, Cylinder Head	Engine: B207E B207L B207R Piston Ø
SAA-10159	56 07 855		Gasket, Cylinder Head	Engine: D223L X 22 DTH Piston Ø
SAA-10160	56 07 856		Gasket, Cylinder Head	Left Engine: V4 Piston Ø 90 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10161	623 492		Gasket, Cylinder Head	Right Engine: V4 Piston Ø 90 mm
SAA-10162	8 812 760		Gasket, Cylinder Head	Right Engine: V4 Piston Ø 90 mm
SAA-10163	93 183 226		Gasket, Cylinder Head	Engine : Z19DTH Piston Ø . :
SAA-10164	08 49 213		Gasket, Exhaust Manifold	Engine: SAAB - D223L ;X 22 DTH
SAA-10165	08 50 506		Gasket, Exhaust Manifold	Thickness/Strength : 1.2 mm Inner Ø : 57,5 mm Outer Ø : 70 mm
SAA-10166	40 84 089	025 251 509 A	Gasket, Exhaust Manifold	
SAA-10167	58 50 619		Gasket, Exhaust Manifold	Engine: B258I
SAA-10168	58 50 640		Gasket, Exhaust Manifold	Engine: Z18XE

Our ref	OE ref	Other ref	Description	Remarks
SAA-10169	08 49 193		Gasket, Intake Manifold	Engine: SAAB - D223L ;X 22 DTH
SAA-10170	08 49 510		Gasket, Intake Manifold	Engine:B308E B308I X 25 XE X 25 XE ECOTEC X 30 XE ECOTEC Y 26 SE ECOTEC Y 32 SE ECOTEC
SAA-10171	58 50 862		Gasket, Intake Manifold	Engine: Z18XE
SAA-10172	06 52 605		Gasket, Oil Sump	Engine: SAAB - D223L SAAB - X 22 DTH
SAA-10173	56 07 442		Gasket, Rocker Cover	Engine: D223L; X 22 DTH
SAA-10174	06 07 494		Gasket, Valve Cover	Engine: B207E B207L B207R
SAA-10175	06 07 642		Gasket, Valve Cover	Engine: B258I B308I
SAA-10176	06 38 177		Gasket, Valve Cover	Engine: Z18XE

Our ref	OE ref	Other ref	Description	Remarks
SAA-10177	4771085		Guide Pulley	Outer Ø : 56 mm Outer Ø : 64 mm Inner Ø : 10 mm Height: 32 mm Height: 37 mm
SAA-10178	90412730		Guide Pulley Timing belt	Outer Ø : 62,5 mm Width : 25 mm
SAA-10179	1389618		Idle Control Valve	
SAA-10180	7516792		Idle Control Valve	
SAA-10181	8857179		Idle Control Valve	
SAA-10182	13 41 1 738 545		Idle Control Valve	
SAA-10183	96 051 730		Idle Control Valve	
SAA-10184	18 54 429		Idler Pulley	Outer Ø :80 mm Inner Ø : 8mm Height: 25mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10185	0 221 119 027		Ignition Coil	
SAA-10186	12 08 008		Ignition Coil	
SAA-10187	91 78 955		Ignition Coil	
SAA-10188	1208243		Ignition Module	
SAA-10189	191 905 351 A		Ignition Module	
SAA-10190	8817520		Ignition Wire Set	
SAA-10191	8821951		Ignition Wire Set	
SAA-10192	9321910		Ignition Wire Set	

Our ref	OE ref	Other ref	Description	Remarks
SAA-10193	7539304		Injection Valve	
SAA-10194	7560162		Injection Valve	
SAA-10195	7560170		Injection Valve	
SAA-10196	9177437		Injection Valve	
SAA-10197	000 078 14 23		Injection Valve	
SAA-10198	74 87 010		Injection Valve	
SAA-10199	74 87 028		Injection Valve	
SAA-10200	88 57 153		Injection Valve	

Our ref	OE ref	Other ref	Description	Remarks
SAA-10201	90 487 344		Injection Valve	
SAA-10202	91 13 721		Injection Valve	
SAA-10203	91 42 423		Injection Valve	
SAA-10204	91 42 449		Injection Valve	
SAA-10205	91 77 122		Injection Valve	
SAA-10206	91 81 322		Injection Valve	
SAA-10207	91 88 707		Injection Valve	
SAA-10208	928 110 225 00		Injection Valve	

Our ref	OE ref	Other ref	Description	Remarks
SAA-10209	75 41 451		Mounting, Alternator	
SAA-10210	90311-38046		Oil Seal	Inner Ø : 38 mm Outer Ø : 50 mm Height : 8 mm
SAA-10211	4021358		Pump, Fuel	
SAA-10212	4161493		Pump, Fuel	
SAA-10213	7526163		Pump, Fuel	
SAA-10214	30587077		Pump, Fuel	
SAA-10215	0 580 254 984		Pump, Fuel	
SAA-10216	06167-PE7-741		Pump, Fuel	

Our ref	OE ref	Other ref	Description	Remarks
SAA-10217	23210-43040		Pump, Fuel	
SAA-10218	4106704		Pump, Power Steering	
SAA-10219	4106712		Pump, Power Steering	
SAA-10220	4196226		Pump, Power Steering	
SAA-10221	4400370		Pump, Power Steering	
SAA-10222	4908281		Pump, Power Steering	
SAA-10223	46 47 426		Pump, Power Steering	Ribs 6 Belt Pulley Ø 145 mm
SAA-10224	50 61 841		Pump, Power Steering	Aluminium

Our ref	OE ref	Other ref	Description	Remarks
SAA-10225	46804051		Pump, Water	
SAA-10226	47 72 711		Pump, Water	Incl. gasket
SAA-10227	50 05 036		Pump, Water	
SAA-10228	75 01 547		Pump, Water	
SAA-10229	88 17 918		Pump, Water	
SAA-10230	88 21 944		Pump, Water	Eng: C25XE,X25XE,X30XE,B258I
SAA-10231	88 22 652		Pump, Water	
SAA-10232	93 21 670		Pump, Water	

Our ref	OE ref	Other ref	Description	Remarks
SAA-10233	93 21 688		Pump, Water	
SAA-10234	9321688G		Pump, Water	
SAA-10235	24 418 341		Radiator	Length : 650 mm Width : 414.5 mm Thickness : 27 mm
SAA-10236	24 418 342		Radiator	Length : 649 mm Width : 414.5 mm Thickness : 27 mm
SAA-10237	43 60 327		Radiator	Length : 500 mm Width : 400 mm Thickness : 42 mm
SAA-10238	45 75 734		Radiator	Length : 607 mm Width : 374 mm Thickness : 27 mm
SAA-10239	47 29 562		Radiator	Length : 500 mm Width : 350 mm Thickness : 32 mm
SAA-10240	47 29 570		Radiator	Length : 500 mm Width : 350 mm Thickness : 32 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10241	47 29 596		Radiator	Length : 500 mm Width : 350 mm Thickness : 42 mm
SAA-10242	53 29 354		Radiator	Length : 608 mm Width : 359 mm Thickness : 26 mm
SAA-10243	75 49 280		Radiator	Length : 595 mm Width : 320 mm Thickness : 34 mm
SAA-10244	75 49 298		Radiator	Length : 595 mm Width : 320 mm Thickness : 40 mm
SAA-10245	75 50 098		Radiator	Length : 548 mm Width : 400 mm Thickness : 36 mm
SAA-10246	75 99 194		Radiator	Length : 500 mm Width : 400 mm Thickness : 33 mm
SAA-10247	1210 124		Relay	
SAA-10248	41 79 925		Relay	air conditioning 12 V 9 -pole

Our ref	OE ref	Other ref	Description	Remarks
SAA-10249	95 58 073		Relay	ra Ø tor fan castor 25 A 12 V 4 -pole
SAA-10250	90251210		Release Bearing	
SAA-10251		111 141 165 A	Release Bearing	
SAA-10252	S9361965		Sensor Fuel Float Tube	Petrol
SAA-10253	62 38 341		Sensor Knock	
SAA-10254	1268.L1		Sensor Throttle Position	3 -pole
SAA-10255	62 38 395		Sensor, Crankshaft	3 terminal, Cable Length : 495 mm, Resistance : 900 Ohm
SAA-10256	62 38 313		Sensor, Crankshaft Cable	Length : 1000 mm, Inductive Sensor

Our ref	OE ref	Other ref	Description	Remarks
SAA-10257	4239042		Sensor, Oxygen	
SAA-10258	4239596		Sensor, Oxygen	
SAA-10259	4239661		Sensor, Oxygen	
SAA-10260	4301305		Sensor, Oxygen	
SAA-10261	4660171		Sensor, Oxygen	
SAA-10262	4660197		Sensor, Oxygen	
SAA-10263	4660445		Sensor, Oxygen	
SAA-10264	9147224		Sensor, Oxygen	

Our ref	OE ref	Other ref	Description	Remarks
SAA-10265	55353148		Sensor, Oxygen	
SAA-10266	0 258 005 329		Sensor, Oxygen	
SAA-10267	006 542 21 17		Sensor, Oxygen	
SAA-10268	034 906 265		Sensor, Oxygen	
SAA-10269	11 76 1 466 063		Sensor, Oxygen	
SAA-10270	46 60 163		Sensor, Oxygen	
SAA-10271	46 60 205		Sensor, Oxygen	
SAA-10272	90 541 930		Sensor, Oxygen	

Our ref	OE ref	Other ref	Description	Remarks
SAA-10273	91 32 564		Sensor, Oxygen	
SAA-10274	91 46 952		Sensor, Oxygen	
SAA-10275	91 97 773		Sensor, Oxygen	Overall Length : 1500 mm
SAA-10276	993 606 127 00		Sensor, Oxygen	
SAA-10277	S4239588		Sensor, Oxygen	
SAA-10278	4570917		Sensor, Oxygen	Overall Length : 850 mm
SAA-10279	55353149		Sensor, Oxygen	Overall Length : 858 mm
SAA-10280	0 258 006 174		Sensor, Oxygen	Overall Length : 700 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10281	025 906 265 B		Sensor, Oxygen	
SAA-10282	034 906 265 F		Sensor, Oxygen	
SAA-10283	91 29 968		Sensor, Oxygen	Overall Length : 445 mm
SAA-10284	9108291		Sensor, Temperature	Fit: Saab 90,900,9000,99
SAA-10285	025 906 041		Sensor, Temperature	
SAA-10286	12 36 284		Sensor, Temperature	
SAA-10287	13 38 457		Sensor, Temperature	2 terminal, Thread Size : M12 x 1.5
SAA-10288	13 38 467		Sensor, Temperature	2 terminal, Thread Size : M12 x 1.5

Our ref	OE ref	Other ref	Description	Remarks
SAA-10289	13 62 1 284 397		Sensor, Temperature	
SAA-10290	241 726		Sensor, Temperature	
SAA-10291	241 810		Sensor, Temperature	
SAA-10292	4646519		Shock Absorber	Front-Left/Right
SAA-10293	5336938		Shock Absorber	Front axle Twin-tube Gas Suspension strut
SAA-10294	8910465	343024	Shock Absorber	Rear-Left/Right
SAA-10295	8942948	343023	Shock Absorber	Front-Left/Right
SAA-10296	8994352		Shock Absorber	Rear-Left/Right

Our ref	OE ref	Other ref	Description	Remarks
SAA-10297	45 65 214		Shock Absorber	Front axle Twin-tube Gas Suspension strut
SAA-10298	45 66 824		Shock Absorber	Rear axle Twin-tube Gas Bottom eye Top pin
SAA-10299	46 43 013	343270	Shock Absorber	Rear-Left/Right
SAA-10300	47 78 817		Shock Absorber	Front axle Twin-tube Gas Suspension strut insert
SAA-10301	47 78 825		Shock Absorber	Front axle Twin-tube Gas Suspension strut insert
SAA-10302	49 06 475		Shock Absorber	Rear axle Twin-tube Gas Bottom eye Top pin
SAA-10303	49 06 491		Shock Absorber	Rear axle Twin-tube Gas Bottom eye Top pin
SAA-10304	50 56 650		Shock Absorber	Front-Left/Right

Our ref	OE ref	Other ref	Description	Remarks
SAA-10305	50 63 466		Shock Absorber	Front-Left/Right
SAA-10306		343030	Shock Absorber	Rear-Left/Right
SAA-10307	12 14 000		Spark Plug	
SAA-10308	12 14 003		Spark Plug	
SAA-10309	12 14 144		Spark Plug	
SAA-10310	12 14 149		Spark Plug	
SAA-10311	12 14 807		Spark Plug	
SAA-10312	N01781166		Spark Plug	

Our ref	OE ref	Other ref	Description	Remarks
SAA-10313	101 000 044 AB		Spark Plug	Spanner size : 16, Outer Length : 14 mm, Thread Length : 19 mm, Thread Pitch : 1,25 mm
SAA-10314	12 12 9 071 003		Spark Plug	Spanner Size : 16 mm Thread Size : M 14x1,25 Thread Length : 19 mm
SAA-10315	42 46 112		Stabilizer Bushing	Front axle Inner 8.5 mm
SAA-10316	4565859		Stabilizer Link	Rear axle, Left/Right Length: 86 mm
SAA-10317	90278579		Stabilizer Link	Front Axle, Left/Right Length : 85 mm Inner Ø : 22 mm, 24 mm
SAA-10318	0350 603		Stabilizer Link	Front Axle, Left/Right Length : 355 mm
SAA-10319	89 58 944		Stabilizer Link	Front axle, Left/Right Length: 112 mm
SAA-10320	1J0 937 550		Starter Battery	

Our ref	OE ref	Other ref	Description	Remarks
SAA-10321	1 006 209 028		Starter Gear	Teeth 8 Rotation: CW 68.5mm 10Spl DEEP Lester #: 16337, 16339, 16551 OEM Unit #: 0-001-211-004, 0-001-211-016, 0-001-211-023
SAA-10322	0344 529		Strut Mount	Front axle W/o bearing
SAA-10323	41 06 969		Strut Mount	Front axle Incl. bearing
SAA-10324	45 44 276		Strut Mount	Front axle W/o bearing
SAA-10325	04 23 320		Suspension Bushing	Rear Axle Left and right , Length: 32 mm, 52 mm, Inner Ø : 12 mm, Outer Ø : 45,5 mm
SAA-10326	12 39 271		Switch, Back Up Light	Length : 26 mm, 58 mm, Outer Thread : M 12 x 1,5 mm Spanner size : 19, Number of ports : 2 Control Type : Pressure switch control,
SAA-10327	12 39 196		Switch, Brake Light	Number of ports : 2
SAA-10328	12 40 590		Switch, Brake Light	Length : 57 mm, Outer Thread : M 12 x 1,5 mm, Thread Length : 15 mm, Spanner size : 22, Number of ports : 2, Black, Synthetic Material, Electric, Control Type : Pressure switch control

Our ref	OE ref	Other ref	Description	Remarks
SAA-10329	95 05 462		Switch, Brake Light	No of connectors 2
SAA-10330	12 52 565		Switch, Oil Pressure	Thread Size : 1/8x28 BSP, 1 terminal, Control Range : 0,4 - 0,65 ba
SAA-10331	12 52 572		Switch, Oil Pressure	Length: 50 mm, Inner Ø : 1 mm, Outer Thread : M 14 x 1,5 mm, Thread Length : 12 mm, Spanner size : 24, Number of ports : 1, Control Range : 0,3 -0,55 bar, Paint
SAA-10332	45 04 585		Switch, Oil Pressure	From 0,3 bar To 0,55 ba
SAA-10333	75 22 402		Switch, Oil Pressure	From 0,35 bar To 0,6 bar Zinc coated
SAA-10334	77 00 720 712		Switch, Temperature	
SAA-10335	13 38 084		Thermostat	Temp : 92°C
SAA-10336	2734 58		Thermostat	Temp : 88°C

Our ref	OE ref	Other ref	Description	Remarks
SAA-10337	90916-03094		Thermostat	Temp : 82°C
SAA-10338	0322 079		Tie Rod Assembly	Front axle, left Vehicles w. and w/o power steering Length 535 mm
SAA-10339	90512775		Tie rod end	Front axle, left and right, Outer For vehicles w. and w/o power steering Length 75 mm Thread size M 12x1,5 mm M 14x1,5 mm Right hand thread For axial joint refer to: 26 055 219 1603 198
SAA-10340	1603 227		Tie rod end	Front axle, left Cone size 13,0 mm Length 136 mm Thread size M 12x1,5 mm M 14x1,5 mm For axial joint refer to: 93 172 256 93 175 520
SAA-10341	52 35 668		Tie rod end	Front axle, right Cone size 13,0 mm Length 136 mm Thread size M 12x1,5 mm M 14x1,5 mm For axial joint refer to: 93 172 256 93 175 520
SAA-10342	89 24 177		Tie rod end	Front axle, left and right Outer For vehicles w. and w/o power steering Length 71 mm Thread size M 12x1,5 mm M 14x2,0 mm Right hand thread For axial joint refer to: 89 88 941
SAA-10343	89 57 839		Tie rod end	Front axle, left and right, Outer For vehicles w. and w/o power steering Length 125 mm Thread size M 12x1,5 mm M 14x1,5 mm Right hand thread For axial joint refer to: 89 62 250
SAA-10344	42 42 756		Tie Rod Ends	Front axle, right Outer Vehicles w. and w/o power steering Length 66 mm Thread size M 12x1,5 mm M 16x2,0 mm Left hand thread Complete tie rod refer to: 90 373 226 Axial joint refer to: 90 373 522

Our ref	OE ref	Other ref	Description	Remarks
SAA-10345	7778565		Time Belt Tensioner Pulley	Outer Ø : 65 mm Height: 30 mm
SAA-10346	4504163		Timing Belt	Teeth : 225 Width : 30 mm
SAA-10347	5636373		Timing Belt	Teeth : 162 Width : 20 mm
SAA-10348	5636405		Timing Belt	Teeth : 116 Width : 25 mm
SAA-10349	55183528		Timing Belt	Teeth : 199 Width : 24 mm
SAA-10350	5636 371		Timing Belt	Teeth : 225 Width : 30 mm
SAA-10351	56 36 352		Timing Chain	Timing Chain Size : D67HP-2 / 78 E
SAA-10352	56 36 353		Timing Chain	Timing Chain Size : G67HP-1 / 80 E

Our ref	OE ref	Other ref	Description	Remarks
SAA-10353	06 42 500		Valve Stem Seal	Thickness/Strength : 8 mm, Inner Ø : 5 mm Outer Ø : 7,8 mm, 11 mm
SAA-10354	06 42 533		Valve Stem Seal	Thickness/Strength : 10 mm, Inner Ø : 6 mm Outer Ø : 12,5 mm, 9 mm
SAA-10355	11 34 9 059 171		Valve Stem Seal	Inner Ø : 5.5 mm Outer Ø : 12 mm, 7 mm Rubber/Metal
SAA-10356	56 40 020		Valve Tappet	
SAA-10357	06 40 016		Valve Tappet	Height : 35,6 mm Outer Ø : 12 mm Hydraulic
SAA-10358	06 40 009		Valve Tappet Hydraulic	Outer Ø : 32 mm, Height : 26,5 mm
SAA-10359	06 40 010		Valve Tappet Hydraulic	Outer Ø : 32 mm, Height : 26,5 mm
SAA-10360		AVX10X1250	V-Belt	Length: 1250 mm Width: 10 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10361		AVX10X1170	V-Belt	Length: 1170 mm Width: 10 mm
SAA-10362		AVX10X975	V-Belt	Length: 975 mm Width: 10 mm
SAA-10363		AVX10X1013	V-Belt	Length: 1013 mm Width: 10 mm
SAA-10364		AVX10X825	V-Belt	Length: 825 mm Width: 10 mm
SAA-10365		AVX10X813	V-Belt	Length: 813 mm Width: 10 mm
SAA-10366		AVX13X1200	V-Belt	Length: 1200 mm Width: 13 mm
SAA-10367		AVX10X1525	V-Belt	Length: 1525 mm Width: 10 mm
SAA-10368		90916-02104	V-Belt	Length : 1200mm Width : 13 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10369		AVX10X1000	V-Belt	Length: 1000 mm Width: 10 mm
SAA-10370		AVX10X850	V-Belt	Length: 850 mm Width: 10 mm
SAA-10371		AVX10X1175	V-Belt	Length: 1175 mm Width: 10 mm
SAA-10372		AVX13X1175	V-Belt	Length: 1175 mm Width: 13 mm
SAA-10373		AVX13X1275	V-Belt	Length: 1275 mm Width: 13 mm
SAA-10374	AVX10X1025		V-Belt	Width : 10 mm Length : 1025 mm
SAA-10375	AVX10X1100		V-Belt	Width : 10 mm Length : 1100 mm
SAA-10376	AVX10X980		V-Belt	Width : 10 mm Length : 980 mm Length : 975 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10377	AVX13X1165		V-belt	Length: 1165 mm Width: 13 mm
SAA-10378	AVX13X1250		V-Belt	Length : 1250 mm Width : 13 mm
SAA-10379	90542637		Vibration Damper	
SAA-10380	002 154 58 06		Voltage Regulator	14,1 V Holder Ø 32 mm
SAA-10381	002 154 72 06		Voltage Regulator	Incl. resistance 14,1 V Holder Ø 28 mm
SAA-10382		6PK 1980	V-Ribbed Belt	Length : 1980 mm Width : 21.36 mm Ribs : 6
SAA-10383		5PK1240XS	V-Ribbed Belt	Length : 1240 mm Ribs 5
SAA-10384		6PK 1885	V-Ribbed Belt	Length : 1885 mm Ribs 6

Our ref	OE ref	Other ref	Description	Remarks
SAA-10385		5PK 1355	V-Ribbed Belt	Length : 1355 mm Ribs : 5
SAA-10386		5PK1588	V-Ribbed Belt	Length : 1588 mm Ribs : 5
SAA-10387		6 PK 2622	V-Ribbed Belt	Length : 2622 mm Ribs : 6
SAA-10388		6 PK 2330	V-Ribbed Belt	Length : 2330 mm Ribs : 6
SAA-10389		6PK 2013	V-Ribbed Belt	Length : 2013 mm Ribs : 6
SAA-10390		6PK 2553	V-Ribbed Belt	Length : 2553 mm Ribs : 6
SAA-10391		6PK2000	V-Ribbed Belt	Length : 2000 mm Ribs : 6
SAA-10392		5PK 1610	V-Ribbed Belt	Length : 1610 mm Ribs : 5

Our ref	OE ref	Other ref	Description	Remarks
SAA-10393		6PK 1900	V-Ribbed Belt	Length : 1900 mm Ribs : 6
SAA-10394		6PK 2615	V-Ribbed Belt	Length : 2615 mm Ribs : 6
SAA-10395		6 PK 2300	V-Ribbed Belt	Length : 2300 mm Ribs : 6
SAA-10396		6PK 2550	V-Ribbed Belt	Length : 2550 mm Ribs : 6
SAA-10397		6PK2225	V-Ribbed Belt	Length : 2225 mm Ribs : 6
SAA-10398	44 80 646		Washer pump	Windshield Rear Window 12 V
SAA-10399	09267-39010		Wheel Bearing	Front Inner Ø :1.5354 Outer Ø :2.9134 Width:1.5354
SAA-10400	115204		Wheel Bearing	Front Axle Height : 37 mm Outer Ø : 75 mm Inner Ø : 42 mm

Our ref	OE ref	Other ref	Description	Remarks
SAA-10401	32006324		Wheel Bearing	Front Axle Height : 38 mm Outer Ø : 72 mm Inner Ø : 42 mm
SAA-10402	0328 105		Wheel bearing	Front Axle Height : 39 mm Outer Ø : 74 mm Inner Ø : 39 mm
SAA-10403	28016-AA020		Wheel Bearing	Rear Inner Ø :1.4961 Outer Ø :2.5591 Width :2.0472
SAA-10404	RP513067		Wheel Bearing	Rear Inner Ø :1.618 Outer Ø :2.842 Width:1.165
SAA-10405	46 89 923		Wheel bearing kit	Front Axle Height : 39 mm Outer Ø : 74 mm Inner Ø : 37 mm
SAA-10406	41 07 462		Wheel hub	Front Axle Ø 1/2 : 30/68 mm Height : 65 mm Number of Holes : 4
SAA-10407	89 52 996		Wheel hub	Front Axle W/o ABS sensor ring No. of holes 4
SAA-10408	8993875		Wheel Hub Bearing	

Our ref	OE ref	Other ref	Description	Remarks
SAA-10409	4839122		Wheel Hub Bearing	Rear :Non-Drive Flange Ø :5.51 Bolt Quantity:5
SAA-10410	5058185		Wheel Hub Bearing	Rear :Non-Drive Flange Ø :5.51 BoltCircle Ø :4.33
SAA-10411	5392493		Wheel Hub Bearing	Front Drive Flange Ø :5.39 BoltCircle Ø :4.33
SAA-10412	8947384		Wheel Hub Bearing	Rear Axle Ø 1/2 : 35/86 mm Height : 75 mm Number of Holes : 4
SAA-10413	8971111		Wheel Hub Bearing	REAR AXLE
SAA-10414	8974384		Wheel Hub Bearing	Rear Non-Drive Flange Ø :4.96 BoltCircle Ø :3.94
SAA-10415	12413037		Wheel Hub Bearing	Front Drive Flange Ø :5.94 BoltCircle Ø :5.00
SAA-10416	12799815		Wheel Hub Bearing	Front Drive Flange Ø :5.39 Bolt Circle Ø :4.33

Our ref	OE ref	Other ref	Description	Remarks
SAA-10417	24421906		Wheel Hub Bearing	Rear
SAA-10418	16 04 002		Wheel Hub Bearing	Fitting Position : Rear Axle Num. of holes : 5
SAA-10419	1 022 451		Wiper Blade	Length : 500 mm
SAA-10420	1392 219		Wiper Blade	Length (mm): 530
SAA-10421	1 022 478		Wiper Blade Packing Unit: 2	Length : 500 mm

OE ref	Our ref	Page
115204	SAA-10400	55
243797	SAA-10106	18
374118	16L-20001	17
477556	SAA-10135	22
573786	SAA-10023	3
1208243	SAA-10188	29
1389618	SAA-10179	28
4000659	16K-10144	17
4002911	16K-10170	17
4021358	SAA-10211	32
4103263	16K-10169	18
4106704	SAA-10218	33
4106712	SAA-10219	33
4161493	SAA-10212	32
4196226	SAA-10220	33
4239042	SAA-10257	38
4239596	SAA-10258	38
4239661	SAA-10259	38
4242236	16K-10269	18
4301305	SAA-10260	38
4384079	SAA-10086	15
4385001	SAA-10087	15
4400370	SAA-10221	33
4429726	SAA-10136	22
4490199	SAA-10079	14
4504163	SAA-10346	49
4543930	SAA-10045	10
4565859	SAA-10316	45
4570917	SAA-10278	40
4646519	SAA-10292	42
4660171	SAA-10261	38
4660197	SAA-10262	38
4660445	SAA-10263	38
4771085	SAA-10177	28
4838967	18K-5010L	4
4838975	18K-5010R	5
4838983	18K-5012L	5
4838991	18K-5012R	5
4839122	SAA-10409	57
4908281	SAA-10222	33
5055413	18K-5014L	5
5055421	18K-5014R	5
5057682	16M-10002	19
5058136	18K-5013L	5
5058144	18K-5013R	5
5058185	SAA-10410	57
5232897	16K-10487	18
5336938	SAA-10293	42
5392493	SAA-10411	57
5636373	SAA-10347	49
5636405	SAA-10348	49
7516792	SAA-10180	28
7526163	SAA-10213	32
7539304	SAA-10193	30
7560162	SAA-10194	30
7560170	SAA-10195	30
7778565	SAA-10345	49
7871676	18K-5001L	5
7871684	18K-5001R	6
7871718	18K-5002L	6
7871726	18K-5002R	6
7873649	18K-5003L	6
7873656	18K-5003R	6
7894983	18K-5006L	6
7894991	18K-5006R	6

OE ref	Our ref	Page
7895006	18K-5009L	7
7895014	18K-5009R	7
7895022	18K-5007L	7
7895030	18K-5007R	7
7895113	18K-5004L	7
7895121	18K-5004R	7
7895303	18K-5008L	7
7895311	18K-5008R	7
8817520	SAA-10190	29
8821951	SAA-10191	29
8828931	18K-5011L	7
8828949	18K-5011R	8
8857179	SAA-10181	28
8910465	SAA-10294	42
8930935	18K-5005L	8
8930943	18K-5005R	8
8942948	SAA-10295	42
8944977	SAA-10088	15
8947384	SAA-10412	57
8952905	16K-10168	18
8964892	SAA-10046	10
8971095	SAA-10103	17
8971111	SAA-10413	57
8974384	SAA-10414	57
8993875	SAA-10408	56
8994352	SAA-10296	42
9100652	SAA-10047	10
9102575	SAA-10048	10
9102880	16K-10062	18
9108291	SAA-10284	41
9144445	SAA-10137	23
9147224	SAA-10264	38
9177437	SAA-10196	30
9321910	SAA-10192	29
9390907	SAA-10120	20
12413037	SAA-10415	57
12786800	SAA-10121	21
12799815	SAA-10416	57
24421906	SAA-10417	58
30587077	SAA-10214	32
32006324	SAA-10401	56
35178573	SAA-10138	23
46804051	SAA-10225	34
55183528	SAA-10349	49
55353148	SAA-10265	39
55353149	SAA-10279	40
88965681	SAA-10049	10
90251210	SAA-10250	37
90278579	SAA-10317	45
90412730	SAA-10178	28
90512775	SAA-10339	48
90542637	SAA-10379	53
93175493	SAA-10139	23
0 221 119 027	SAA-10185	29
0 258 005 329	SAA-10266	39
0 258 006 174	SAA-10280	40
0 444 761	SAA-10152	24
0 580 254 984	SAA-10215	32
000 078 14 23	SAA-10197	30
002 154 58 06	SAA-10380	53
002 154 72 06	SAA-10381	53
006 542 21 17	SAA-10267	39
0060 712 608	SAA-10072	13
025 129 620 A	SAA-10122	21
025 251 509 A	SAA-10166	26

OE ref	Our ref	Page
025 906 041	SAA-10285	41
025 906 265 B	SAA-10281	41
03 22 577	SAA-10001	1
0322 079	SAA-10338	48
0328 105	SAA-10402	56
034 906 265	SAA-10268	39
034 906 265 F	SAA-10282	41
0344 529	SAA-10322	46
0350 603	SAA-10318	45
0352 998	SAA-10099	16
04 23 320	SAA-10325	46
05 62 094	SAA-10041	9
052 905 225 C	SAA-10109	19
0569 003	SAA-10032	8
0569 004	SAA-10033	8
0569 056	SAA-10034	8
0569 114	SAA-10035	8
0569 115	SAA-10036	8
06 07 494	SAA-10174	27
06 07 642	SAA-10175	27
06 07 923	SAA-10105	18
06 08 632	SAA-10153	25
06 38 177	SAA-10176	27
06 40 009	SAA-10358	50
06 40 010	SAA-10359	50
06 40 016	SAA-10357	50
06 42 500	SAA-10353	50
06 42 533	SAA-10354	50
06 52 605	SAA-10172	27
06 79 323	SAA-10089	15
06167-PE7-741	SAA-10216	32
08 08 203	SAA-10151	24
08 18 531	SAA-10131	22
08 18 568	SAA-10132	22
08 49 193	SAA-10169	27
08 49 213	SAA-10164	26
08 49 510	SAA-10170	27
08 50 506	SAA-10165	26
0834 296	SAA-10125	21
09267-39010	SAA-10399	55
1 006 209 028	SAA-10321	46
1 022 451	SAA-10419	58
1 022 478	SAA-10421	58
1 237 013 052	SAA-10092	15
1 360 254	SAA-10050	10
101 000 044 AB	SAA-10313	45
11 34 9 059 171	SAA-10355	50
11 42 9 061 197	SAA-10140	23
11 76 1 466 063	SAA-10269	39
111 141 165 A	SAA-10251	37
12 08 008	SAA-10186	29
12 11 1 271 656	SAA-10107	19
12 11 1 360 305	SAA-10110	19
12 11 1 363 423	SAA-10108	19
12 12 217	SAA-10111	19
12 12 9 071 003	SAA-10314	45
12 14 000	SAA-10307	44
12 14 003	SAA-10308	44
12 14 144	SAA-10309	44
12 14 149	SAA-10310	44
12 14 807	SAA-10311	44
12 36 284	SAA-10286	41
12 39 196	SAA-10327	46
12 39 271	SAA-10326	46
12 40 590	SAA-10328	46

Other manufacturers' numbers
used for identification only

OE ref	Our ref	Page
12 52 565	SAA-10330	47
12 52 572	SAA-10331	47
12 793 295	SAA-10007	1
12 796 013	SAA-10093	16
12 796 014	SAA-10094	16
1210 124	SAA-10247	36
1268.L1	SAA-10254	37
13 04 666	SAA-10080	14
13 38 084	SAA-10335	47
13 38 457	SAA-10287	41
13 38 467	SAA-10288	41
13 40 530	SAA-10024	3
13 40 555	SAA-10025	4
13 41 1 738 545	SAA-10182	28
13 62 1 284 397	SAA-10289	42
1389 562	SAA-10133	22
1392 219	SAA-10420	58
16 03 206	SAA-10012	2
16 04 002	SAA-10418	58
16 05 032	SAA-10051	10
16 05 036	SAA-10052	10
1603 227	SAA-10340	48
1605 079	SAA-10053	11
1605 113	SAA-10054	11
18 08 619	SAA-10075	13
18 54 429	SAA-10184	28
180419-700	SAA-10055	11
180744-700	SAA-10056	11
191 905 351 A	SAA-10189	29
191407271H	16M-10001	19
1J0 937 550	SAA-10320	45
1L2Z-2001-AA	SAA-10057	11
1R-0716	SAA-10141	23
23210-43040	SAA-10217	33
24 418 341	SAA-10235	35
24 418 342	SAA-10236	35
241 721	SAA-10150	24
241 726	SAA-10290	42
241 810	SAA-10291	42
2506 2227	SAA-10123	21
272 483	SAA-10018	3
2734 58	SAA-10336	47
28016-AA020	SAA-10403	56
34 11 1 154 443	SAA-10073	13
34 21 6 761 239	SAA-10071	13
40 00 642	SAA-10104	17
40 04 123	SAA-10058	11
40 29 930	SAA-10022	3
40 72 393	SAA-10076	13
40 84 089	SAA-10166	26
41 06 969	SAA-10323	46
41 07 462	SAA-10406	56
41 79 925	SAA-10248	36
41 96 317	SAA-10059	11
42 36 030	SAA-10126	21
42 41 428	SAA-10037	9
42 41 444	SAA-10042	9
42 42 673	SAA-10013	2
42 42 681	SAA-10014	2
42 42 756	SAA-10344	48
42 46 112	SAA-10315	45
42 48 431	SAA-10095	16
42 48 449	SAA-10096	16
43 19 117	SAA-10002	1
43 56 176	SAA-10112	19

OE ref	Our ref	Page
43 56 184	SAA-10113	20
43 60 327	SAA-10237	35
43 95 570	SAA-10081	14
44 26 003	SAA-10028	4
44 67 072	SAA-10060	11
44 80 646	SAA-10398	55
44 82 402	SAA-10100	16
44 83 723	SAA-10061	12
45 04 585	SAA-10332	47
45 41 215	SAA-10008	1
45 43 450	SAA-10097	16
45 43 468	SAA-10098	16
45 44 276	SAA-10324	46
45 65 214	SAA-10297	43
45 65 693	SAA-10038	9
45 66 824	SAA-10298	43
45 75 734	SAA-10238	35
46 32 493	SAA-10077	14
46 43 013	SAA-10299	43
46 47 426	SAA-10223	33
46 60 163	SAA-10270	39
46 60 205	SAA-10271	39
46 89 923	SAA-10405	56
47 29 562	SAA-10239	35
47 29 570	SAA-10240	35
47 29 596	SAA-10241	36
47 55 492	SAA-10009	2
47 58 637	SAA-10010	2
47 72 711	SAA-10226	34
47 73 453	SAA-10154	25
47 78 817	SAA-10300	43
47 78 825	SAA-10301	43
48 35 740	SAA-10019	3
48 36 987	SAA-10062	12
48 39 700	SAA-10063	12
48 39 924	SAA-10064	12
48 76 074	SAA-10127	21
48 76 199	SAA-10128	21
49 06 475	SAA-10302	43
49 06 491	SAA-10303	43
5 012 720	SAA-10142	23
50 05 036	SAA-10227	34
50 47 931	SAA-10003	1
50 56 650	SAA-10304	43
50 61 841	SAA-10224	33
50 63 466	SAA-10305	44
5173 166	SAA-10124	21
52 35 668	SAA-10341	48
52 37 516	SAA-10020	3
53 29 354	SAA-10242	36
56 07 422	SAA-10155	25
56 07 423	SAA-10156	25
56 07 442	SAA-10173	27
56 07 447	SAA-10157	25
56 07 474	SAA-10158	25
56 07 855	SAA-10159	25
56 07 856	SAA-10160	25
56 36 352	SAA-10351	49
56 36 353	SAA-10352	49
56 36 386	SAA-10083	14
56 36 387	SAA-10084	14
56 40 020	SAA-10356	50
56 50 305	SAA-10143	23
56 50 319	SAA-10144	23
56 50 343	SAA-10145	24

OE ref	Our ref	Page
56 50 831	SAA-10082	14
56 79 304	SAA-10090	15
56 79 333	SAA-10091	15
56 84 166	SAA-10114	20
5636 371	SAA-10350	49
58 50 619	SAA-10167	26
58 50 640	SAA-10168	26
58 50 862	SAA-10171	27
5W93-2200-AA	SAA-10074	13
6 688 744	SAA-10134	22
6 845 622	SAA-10011	2
600-211-1231	SAA-10146	24
62 38 313	SAA-10256	37
62 38 341	SAA-10253	37
62 38 395	SAA-10255	37
623 492	SAA-10161	26
63 40 538	SAA-10026	4
674-201-4120	SAA-10147	24
74 87 010	SAA-10198	30
74 87 028	SAA-10199	30
75 01 547	SAA-10228	34
75 14 722	SAA-10129	22
75 22 402	SAA-10333	47
75 41 451	SAA-10209	32
75 45 650	SAA-10115	20
75 45 668	SAA-10116	20
75 49 280	SAA-10243	36
75 49 298	SAA-10244	36
75 50 098	SAA-10245	36
75 51 104	SAA-10117	20
75 76 333	SAA-10118	20
75 85 086	SAA-10085	15
75 99 194	SAA-10246	36
77 00 720 712	SAA-10334	47
77 00 734 945	SAA-10148	24
78 68 284	SAA-10065	12
8 812 760	SAA-10162	26
8683 615	SAA-10066	12
87 86 006	SAA-10119	20
88 17 918	SAA-10229	34
88 21 944	SAA-10230	34
88 22 652	SAA-10231	34
88 57 153	SAA-10200	30
89 24 177	SAA-10342	48
89 31 727	SAA-10067	12
89 40 819	SAA-10043	9
89 43 268	SAA-10015	2
89 52 996	SAA-10407	56
89 57 839	SAA-10343	48
89 58 944	SAA-10319	45
89 61 476	SAA-10101	17
89 61 856	SAA-10068	12
89 62 250	SAA-10016	2
89 62 656	SAA-10029	4
89 62 664	SAA-10030	4
89 65 253	SAA-10102	17
89 67 077	SAA-10069	13
89 70 717	SAA-10039	9
89 85 384	SAA-10021	3
9 191 175	SAA-10031	4
9 194 477	SAA-10040	9
9 201 354	SAA-10070	13
90 487 344	SAA-10201	31
90 541 930	SAA-10272	39
90311-38046	SAA-10210	32

Other manufacturers' numbers
used for identification only

Our ref	OE ref	Page
16K-10062	9102880	18
16K-10144	4000659	17
16K-10168	8952905	18
16K-10169	4103263	18
16K-10170	4002911	17
16K-10269	4242236	18
16K-10487	5232897	18
16L-20001	374118	17
16M-10001	191407271H	19
16M-10002	5057682	19
18K-5001L	7871676	5
18K-5001R	7871684	6
18K-5002L	7871718	6
18K-5002R	7871726	6
18K-5003L	7873649	6
18K-5003R	7873656	6
18K-5004L	7895113	7
18K-5004R	7895121	7
18K-5005L	8930935	8
18K-5005R	8930943	8
18K-5006L	7894983	6
18K-5006R	7894991	6
18K-5007L	7895022	7
18K-5007R	7895030	7
18K-5008L	7895303	7
18K-5008R	7895311	7
18K-5009L	7895006	7
18K-5009R	7895014	7
18K-5010L	4838967	4
18K-5010R	4838975	5
18K-5011L	8828931	7
18K-5011R	8828949	8
18K-5012L	4838983	5
18K-5012R	4838991	5
18K-5013L	5058136	5
18K-5013R	5058144	5
18K-5014L	5055413	5
18K-5014R	5055421	5
SAA-10001	03 22 577	1
SAA-10002	43 19 117	1
SAA-10003	50 47 931	1
SAA-10004	96 24 925	1
SAA-10005	94 80 955	1
SAA-10006	96 29 403	1
SAA-10007	12 793 295	1
SAA-10008	45 41 215	1
SAA-10009	47 55 492	2
SAA-10010	47 58 637	2
SAA-10011	6 845 622	2
SAA-10012	16 03 206	2
SAA-10013	42 42 673	2
SAA-10014	42 42 681	2
SAA-10015	89 43 268	2
SAA-10016	89 62 250	2
SAA-10017	93 175 520	3
SAA-10018	272 483	3
SAA-10019	48 35 740	3
SAA-10020	52 37 516	3
SAA-10021	89 85 384	3
SAA-10022	40 29 930	3
SAA-10023	573786	3
SAA-10024	13 40 530	3
SAA-10025	13 40 555	4
SAA-10026	63 40 538	4
SAA-10027	928 351 947 00	4
SAA-10028	44 26 003	4

Our ref	OE ref	Page
SAA-10029	89 62 656	4
SAA-10030	89 62 664	4
SAA-10031	9 191 175	4
SAA-10032	0569 003	8
SAA-10033	0569 004	8
SAA-10034	0569 056	8
SAA-10035	0569 114	8
SAA-10036	0569 115	8
SAA-10037	42 41 428	9
SAA-10038	45 65 693	9
SAA-10039	89 70 717	9
SAA-10040	9 194 477	9
SAA-10041	05 62 094	9
SAA-10042	42 41 444	9
SAA-10043	89 40 819	9
SAA-10044	91 01 650	9
SAA-10045	4543930	10
SAA-10046	8964892	10
SAA-10047	9100652	10
SAA-10048	9102575	10
SAA-10049	88965681	10
SAA-10050	1 360 254	10
SAA-10051	16 05 032	10
SAA-10052	16 05 036	10
SAA-10053	1605 079	11
SAA-10054	1605 113	11
SAA-10055	180419-700	11
SAA-10056	180744-700	11
SAA-10057	1L2Z-2001-AA	11
SAA-10058	40 04 123	11
SAA-10059	41 96 317	11
SAA-10060	44 67 072	11
SAA-10061	44 83 723	12
SAA-10062	48 36 987	12
SAA-10063	48 39 700	12
SAA-10064	48 39 924	12
SAA-10065	78 68 284	12
SAA-10066	8683 615	12
SAA-10067	89 31 727	12
SAA-10068	89 61 856	12
SAA-10069	89 67 077	13
SAA-10070	9 201 354	13
SAA-10071	34 21 6 761 239	13
SAA-10072	0060 712 608	13
SAA-10073	34 11 1 154 443	13
SAA-10074	5W93-2200-AA	13
SAA-10075	18 08 619	13
SAA-10076	40 72 393	13
SAA-10077	46 32 493	14
SAA-10078	91 79 904	14
SAA-10079	4490199	14
SAA-10080	13 04 666	14
SAA-10081	43 95 570	14
SAA-10082	56 50 831	14
SAA-10083	56 36 386	14
SAA-10084	56 36 387	14
SAA-10085	75 85 086	15
SAA-10086	4384079	15
SAA-10087	4385001	15
SAA-10088	8944977	15
SAA-10089	06 79 323	15
SAA-10090	56 79 304	15
SAA-10091	56 79 333	15
SAA-10092	1 237 013 052	15
SAA-10093	12 796 013	16
SAA-10094	12 796 014	16

Our ref	OE ref	Page
SAA-10095	42 48 431	16
SAA-10096	42 48 449	16
SAA-10097	45 43 450	16
SAA-10098	45 43 468	16
SAA-10099	0352 998	16
SAA-10100	44 82 402	16
SAA-10101	89 61 476	17
SAA-10102	89 65 253	17
SAA-10103	8971095	17
SAA-10104	40 00 642	17
SAA-10105	06 07 923	18
SAA-10106	243797	18
SAA-10107	12 11 1 271 656	19
SAA-10108	12 11 1 363 423	19
SAA-10109	052 905 225 C	19
SAA-10110	12 11 1 360 305	19
SAA-10111	12 12 217	19
SAA-10112	43 56 176	19
SAA-10113	43 56 184	20
SAA-10114	56 84 166	20
SAA-10115	75 45 650	20
SAA-10116	75 45 668	20
SAA-10117	75 51 104	20
SAA-10118	75 76 333	20
SAA-10119	87 86 006	20
SAA-10120	9390907	20
SAA-10121	12786800	21
SAA-10122	025 129 620 A	21
SAA-10123	2506 2227	21
SAA-10124	5173 166	21
SAA-10125	0834 296	21
SAA-10126	42 36 030	21
SAA-10127	48 76 074	21
SAA-10128	48 76 199	21
SAA-10129	75 14 722	22
SAA-10130	93 81 971	22
SAA-10131	08 18 531	22
SAA-10132	08 18 568	22
SAA-10133	1389 562	22
SAA-10134	6 688 744	22
SAA-10135	477556	22
SAA-10136	4429726	22
SAA-10137	9144445	23
SAA-10138	35178573	23
SAA-10139	93175493	23
SAA-10140	11 42 9 061 197	23
SAA-10141	1R-0716	23
SAA-10142	5 012 720	23
SAA-10143	56 50 305	23
SAA-10144	56 50 319	23
SAA-10145	56 50 343	24
SAA-10146	600-211-1231	24
SAA-10147	674-201-4120	24
SAA-10148	77 00 734 945	24
SAA-10149	LPW 100 230	24
SAA-10150	241 721	24
SAA-10151	08 08 203	24
SAA-10152	0 444 761	24
SAA-10153	06 08 632	25
SAA-10154	47 73 453	25
SAA-10155	56 07 422	25
SAA-10156	56 07 423	25
SAA-10157	56 07 447	25
SAA-10158	56 07 474	25
SAA-10159	56 07 855	25
SAA-10160	56 07 856	25

Other manufacturers' numbers
used for identification only

Our ref	OE ref	Page
SAA-10161	623 492	26
SAA-10162	8 812 760	26
SAA-10163	93 183 226	26
SAA-10164	08 49 213	26
SAA-10165	08 50 506	26
SAA-10166	025 251 509 A	26
SAA-10166	40 84 089	26
SAA-10167	58 50 619	26
SAA-10168	58 50 640	26
SAA-10169	08 49 193	27
SAA-10170	08 49 510	27
SAA-10171	58 50 862	27
SAA-10172	06 52 605	27
SAA-10173	56 07 442	27
SAA-10174	06 07 494	27
SAA-10175	06 07 642	27
SAA-10176	06 38 177	27
SAA-10177	4771085	28
SAA-10178	90412730	28
SAA-10179	1389618	28
SAA-10180	7516792	28
SAA-10181	8857179	28
SAA-10182	13 41 1 738 545	28
SAA-10183	96 051 730	28
SAA-10184	18 54 429	28
SAA-10185	0 221 119 027	29
SAA-10186	12 08 008	29
SAA-10187	91 78 955	29
SAA-10188	1208243	29
SAA-10189	191 905 351 A	29
SAA-10190	8817520	29
SAA-10191	8821951	29
SAA-10192	9321910	29
SAA-10193	7539304	30
SAA-10194	7560162	30
SAA-10195	7560170	30
SAA-10196	9177437	30
SAA-10197	000 078 14 23	30
SAA-10198	74 87 010	30
SAA-10199	74 87 028	30
SAA-10200	88 57 153	30
SAA-10201	90 487 344	31
SAA-10202	91 13 721	31
SAA-10203	91 42 423	31
SAA-10204	91 42 449	31
SAA-10205	91 77 122	31
SAA-10206	91 81 322	31
SAA-10207	91 88 707	31
SAA-10208	928 110 225 00	31
SAA-10209	75 41 451	32
SAA-10210	90311-38046	32
SAA-10211	4021358	32
SAA-10212	4161493	32
SAA-10213	7526163	32
SAA-10214	30587077	32
SAA-10215	0 580 254 984	32
SAA-10216	06167-PE7-741	32
SAA-10217	23210-43040	33
SAA-10218	4106704	33
SAA-10219	4106712	33
SAA-10220	4196226	33
SAA-10221	4400370	33
SAA-10222	4908281	33
SAA-10223	46 47 426	33
SAA-10224	50 61 841	33
SAA-10225	46804051	34

Our ref	OE ref	Page
SAA-10226	47 72 711	34
SAA-10227	50 05 036	34
SAA-10228	75 01 547	34
SAA-10229	88 17 918	34
SAA-10230	88 21 944	34
SAA-10231	88 22 652	34
SAA-10232	93 21 670	34
SAA-10233	93 21 688	35
SAA-10234	9321688G	35
SAA-10235	24 418 341	35
SAA-10236	24 418 342	35
SAA-10237	43 60 327	35
SAA-10238	45 75 734	35
SAA-10239	47 29 562	35
SAA-10240	47 29 570	35
SAA-10241	47 29 596	36
SAA-10242	53 29 354	36
SAA-10243	75 49 280	36
SAA-10244	75 49 298	36
SAA-10245	75 50 098	36
SAA-10246	75 99 194	36
SAA-10247	1210 124	36
SAA-10248	41 79 925	36
SAA-10249	95 58 073	37
SAA-10250	90251210	37
SAA-10251	111 141 165 A	37
SAA-10252	S9361965	37
SAA-10253	62 38 341	37
SAA-10254	1268.L1	37
SAA-10255	62 38 395	37
SAA-10256	62 38 313	37
SAA-10257	4239042	38
SAA-10258	4239596	38
SAA-10259	4239661	38
SAA-10260	4301305	38
SAA-10261	4660171	38
SAA-10262	4660197	38
SAA-10263	4660445	38
SAA-10264	9147224	38
SAA-10265	55353148	39
SAA-10266	0 258 005 329	39
SAA-10267	006 542 21 17	39
SAA-10268	034 906 265	39
SAA-10269	11 76 1 466 063	39
SAA-10270	46 60 163	39
SAA-10271	46 60 205	39
SAA-10272	90 541 930	39
SAA-10273	91 32 564	40
SAA-10274	91 46 952	40
SAA-10275	91 97 773	40
SAA-10276	993 606 127 00	40
SAA-10277	S4239588	40
SAA-10278	4570917	40
SAA-10279	55353149	40
SAA-10280	0 258 006 174	40
SAA-10281	025 906 265 B	41
SAA-10282	034 906 265 F	41
SAA-10283	91 29 968	41
SAA-10284	9108291	41
SAA-10285	025 906 041	41
SAA-10286	12 36 284	41
SAA-10287	13 38 457	41
SAA-10288	13 38 467	41
SAA-10289	13 62 1 284 397	42
SAA-10290	241 726	42
SAA-10291	241 810	42

Our ref	OE ref	Page
SAA-10292	4646519	42
SAA-10293	5336938	42
SAA-10294	8910465	42
SAA-10295	8942948	42
SAA-10296	8994352	42
SAA-10297	45 65 214	43
SAA-10298	45 66 824	43
SAA-10299	46 43 013	43
SAA-10300	47 78 817	43
SAA-10301	47 78 825	43
SAA-10302	49 06 475	43
SAA-10303	49 06 491	43
SAA-10304	50 56 650	43
SAA-10305	50 63 466	44
SAA-10307	12 14 000	44
SAA-10308	12 14 003	44
SAA-10309	12 14 144	44
SAA-10310	12 14 149	44
SAA-10311	12 14 807	44
SAA-10312	N01781166	44
SAA-10313	101 000 044 AB	45
SAA-10314	12 12 9 071 003	45
SAA-10315	42 46 112	45
SAA-10316	4565859	45
SAA-10317	90278579	45
SAA-10318	0350 603	45
SAA-10319	89 58 944	45
SAA-10320	1J0 937 550	45
SAA-10321	1 006 209 028	46
SAA-10322	0344 529	46
SAA-10323	41 06 969	46
SAA-10324	45 44 276	46
SAA-10325	04 23 320	46
SAA-10326	12 39 271	46
SAA-10327	12 39 196	46
SAA-10328	12 40 590	46
SAA-10329	95 05 462	47
SAA-10330	12 52 565	47
SAA-10331	12 52 572	47
SAA-10332	45 04 585	47
SAA-10333	75 22 402	47
SAA-10334	77 00 720 712	47
SAA-10335	13 38 084	47
SAA-10336	2734 58	47
SAA-10337	90916-03094	48
SAA-10338	0322 079	48
SAA-10339	90512775	48
SAA-10340	1603 227	48
SAA-10341	52 35 668	48
SAA-10342	89 24 177	48
SAA-10343	89 57 839	48
SAA-10344	42 42 756	48
SAA-10345	7778565	49
SAA-10346	4504163	49
SAA-10347	5636373	49
SAA-10348	5636405	49
SAA-10349	55183528	49
SAA-10350	5636 371	49
SAA-10351	56 36 352	49
SAA-10352	56 36 353	49
SAA-10353	06 42 500	50
SAA-10354	06 42 533	50
SAA-10355	11 34 9 059 171	50
SAA-10356	56 40 020	50
SAA-10357	06 40 016	50
SAA-10358	06 40 009	50

Other manufacturers' numbers
used for identification only

